

alarm switch AL, EasyPact EZC 100, EasyPact CVS 100BS, 1 common point changeover contact

EZAUX01

Main

Range Of Product	EZC100	
Range	EasyPact	
Device Short Name	AL	
Product Or Component Type	Switch	
Device Application	Alarm	
Range Compatibility	EasyPact EZC circuit breaker	
Signal Contacts Composition	1 NO/NC	

Complementary

Auxiliary Contacts Type	Standard
[Ith] Conventional Free Air Thermal Current	5 A
[le] Rated Operational Current	AC-12: 3 A at 250 V AC 50/60 Hz
	AC-12: 5 A at 125 V AC 50/60 Hz
	AC-12: 5 A at 24 V AC 50/60 Hz
	AC-12: 5 A at 48 V AC 50/60 Hz
	AC-15: 2 A at 250 V AC 50/60 Hz
	AC-15: 3 A at 125 V AC 50/60 Hz
	AC-15: 5 A at 24 V AC 50/60 Hz
	AC-15: 5 A at 48 V AC 50/60 Hz
	DC-12: 0.2 A at 250 V DC
	DC-12: 0.4 A at 125 V DC
	DC-12: 2.5 A at 48 V DC
	DC-12: 4 A at 24 V DC
	DC-14: 0.2 A at 250 V DC
	DC-14: 0.4 A at 125 V DC
	DC-14: 1 A at 48 V DC
	DC-14: 3 A at 24 V DC
Minimum Load	10 mA at 24 V
Auxiliary Connection Terminal	Lead wire

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7 cm
Package 1 Width	2.5 cm
Package 1 Length	8 cm
Package 1 Weight	39 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5

Package 2 Height	8 cm
Package 2 Width	9 cm
Package 2 Length	14 cm
Package 2 Weight	254 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	120
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	6.631 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
Ø	Mercury Free	
Ø	Rohs Exemption Information	Yes
Reac	ch Regulation	REACh Declaration
Eu R	ohs Directive	Compliant EU RoHS Declaration
Chin	a Rohs Regulation	China RoHS declaration
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins