Translated from French to English - www.onlinedoctranslator.com

# Product data sheet

Specifications

## Thorsman - cable ties - cable ties - 200x2.5mm - colorless



IMT46158

-Production of this product was discontinued on:Sep 30, 2023

-End of marketing

**Commercial status: Discontinued**

## Main

| | |
|---|---|
| **Product range** | Thorsman |
| **Type of product** | Cable clamp |
| **Color** | Natural |
| **Quantity per package** | Pack of 100 |

## Complementary

| | |
|---|---|
| **Minimum clamping diameter** | 3mm |
| **Maximum clamping diameter** | 52mm |
| **Terms of use** | Interior |
| **Tear resistance** | Pull-out resistance: 80 N |
| **Matter** | PA (polyamide) 6.6 UV-stabilized |
| **Length** | 200mm |
| **Width** | 2.5mm |
| **Product weight** | 0.053 kg |
| **Market segment** | Small business |

## Environment

| | |
|---|---|
| **Environment Characteristic** | Fire resistance needle flame 30 s conforming to IEC 60695-11-5 |
| **Flame resistance** | Self-extinguishing conforming to UL 94 V2 |
| **Ambient air temperature during operation** | - 40...85°C |

## Packaging

| | |
|---|---|
| **Packaging type 1** | PCE |
| **Number of products in packaging 1** | 1 |
| **Package Height 1** | 1.0cm |
| **Package width 1** | 10.0 cm |
| **Package length 1** | 26.0 cm |
| **Package weight 1** | 0.53g |
| **Packaging type 2** | BAG |
| **Number of products in packaging 2** | 100 |
| **Package Height 2** | 10.0 cm |

Disclaimer: This documentation is not intended to replace and cannot be used to determine the suitability or reliability of these products for any specific application

| | |
|---|---|
| **Package width 2** | 10.0 cm |
| **Package length 2** | 26.0 cm |
| **Package weight 2** | 60.0g |
| **Packaging type 3** | BECAUSE |
| **Number of products in packaging 3** | 15000 |
| **Package height 3** | 40.0 cm |
| **Package width 3** | 40.0 cm |
| **Package length 3** | 12.0 cm |
| **Package weight 3** | 9.75kg |

## Contractual guarantee

| | |
|---|---|
| **Guarantee** | 18 months |

## Sustainable development

**The Green Premium label**TMshows Schneider Electric's commitment to providing products with exceptional environmental performance. Green Premium guarantees compliance with the latest regulations, transparency of the product's impact on the environment, as well as circular products with low CO emissions.

2

Learn more about Green Premium -



RoHS/REACh transparency

## Well-being performance

- Without Svhc Reach
- Without Toxic Heavy Metals
- Without Mercury
- Rohs Exemption InformationYes

### Certifications and standards

| | |
|---|---|
| **EU Rohs Directive** | Compliant<br>EU RoHS declaration |
| **Rohs Regulation China** | RoHS declaration for China<br>Pro-active RoHS declaration for China (outside the legal RoHS scope for China) |
| **Environmental Profile** | Product environmental profile |
| **Circularity Profile** | No special recycling operations required |