

Product datasheet

Specifications



Thorsman - Ext. lead 25m HO5VVF 3G1.5 IP44 Schuko

IMT33151

⚠ Discontinued on: Nov 1, 2020

⚠ Discontinued

Main

Range	Thorsman
Range of product	PROchantier
Product name	Thorsman cable reel Extended
Product or component type	Extension cable reel
Device application	Power supply
[Ue] rated operational voltage	230 V
[In] rated current	13 A
Colour tint	Green/black

Complementary

Outlet standard	CEE 7/3
Outlet standard deviation	Schuko
Cable length	25 m
Cable cross section	1.5 mm ²
type of cable	H05VV-F3G1.5
Height	295 mm
Width	394 mm
Depth	212 mm
Net weight	5.78 kg

Environment

IP degree of protection	IP44
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	23.000 cm
Package 1 Width	35.000 cm
Package 1 Length	42.000 cm
Package 1 Weight	6.679 kg
Unit Type of Package 2	P12

Number of Units in Package 2	10
Package 2 Height	61.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	85.290 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Sustainable Packaging Transparency RoHS/REACH

Resource performance

Sustainable Packaging

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
