Product datasheet

Specifications



Thorsman - cable tie - natural - 7.6 x 380 mm

Local distributor code:

400083944 IMT46286

Discontinued on: 2 Mar 2023

EAN Code: 3606480554438

Discontinued

Main

product range	Thorsman
product type	Cable tie
colour	Natural
quantity per package	Set of 100

Complementary

Minimum tightening diameter	8.5 mm
Maximum tightening diameter	108 mm
Condition of use	Indoor
resistance to tearing	Resistance to tearing: 540 N
Material	PA (polyamide) 6.6 UV-stabilised
Length	380 mm
Width	7.6 mm
Net weight	0.438 kg
Market segment	Small commercial

Environment

Environmental characteristic	Fire resistance needle flame 30 s conforming to IEC 60695-11-5
Flame retardance	Self-extinguishing conforming to UL 94 V2
Ambient air temperature for operation	-40…85 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.2 cm
Package 1 Width	0.8 cm
Package 1 Length	38.0 cm
Package 1 Weight	4.0 g
Unit Type of Package 2	BAG
Number of Units in Package 2	100
Package 2 Height	3.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	16.0 cm
Package 2 Length	46.0 cm
Package 2 Weight	456.0 g
Unit Type of Package 3	CAR
Number of Units in Package 3	1500
Package 3 Height	19.0 cm
Package 3 Width	20.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	7.27 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency



RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations